

00862.002936



**Certificate
JUN 30 2006
of Correction**

cofe
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Anand Bhatnagar
MANABU OHGA)	
	:	Art Unit: 2623
Appln. No.: 09/358,408)	
	:	
Filed: July 22, 1999)	
	:	
For: IMAGE PROCESSING METHOD AND)	
APPARATUS	:	
)	
U.S. Patent No.: 6,999,617 B1	:	
)	
Issued: February 14, 2006	:	June 5, 2006

**Certificate
JUN 08 2006
of Correction**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned
patent:

SHEET 21

FIG. 21, "RELACTIVE" (both occurrences) should read
--REFRACTIVE--.

COLUMN 2

Line 45, "color" should read --a color--.

COLUMN 5

Line 4, “do” should read --does--; and

Line 59, “a” should read --an--.

COLUMN 6

Line 32, “device inde-” should read --device-inde---.

COLUMN 17

Line 57, “o” should read --of--.

COLUMN 23

Line 33, “an color expert.” should read --color experts.--

COLUMN 26

Line 25, “attains” should read --attain--;


Line 46, “are” should read --being--; and

Line 66, “appraise” should read --apprise--.

These errors appear to be relatively insignificant and, therefore, have not been included in the Certificate of Correction which has been filed separately. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "Leonard P. Diana", written over a horizontal line.

Leonard P. Diana
Attorney for Patentee
Registration No. 29,296

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

572853v1